



Microscopic Identification and Pharmaceutical Analysis of *Patoladi Kwath*

Author: Shruti D Vinchhi¹

Co Authors: D H Pandya², Harisha C R³ and V J Shukla⁴

^{1,2}Department of Rog Nidan Avum Vikriti Vigyan, I.P.G.T. & R.A, Gujarat Ayurved University, Jamnagar, Gujarat, India

³Head, Pharmacognosy lab, I.P.G.T. & R.A, Gujarat Ayurved University, Jamnagar, Gujarat, India

⁴Head, Pharmaceutical Chemistry lab, I.P.G.T. & R.A, Gujarat Ayurved University, Jamnagar, Gujarat, India

ABSTRACT

Introduction- *Patoladi Kwath* is herbal compound formulation mentioned in *Chakradatta Amlapitta Rogadhikara*. It contains *Patola*, *Dhanyak*, *Sunthi* and *Musta*. Whereas another indications of the formulation are *Mandagni*, *Jwara*, *Chhardi*, *Daha*, *Shoola*, *Ama* and diseases caused by provocation of *Tridosha*. **Materials & Methods-** *Patoladi Kwath* was subjected to Pharmacognostical and Physico-chemical analysis such as microscopic study, loss on drying, ash value etc. **Results & Discussion-** The Pharmacognostical study showed the presence of contents such as; spiral vessels of *Patola*, vittae cells of *Dhanyak*, starch grains of *Sunthi*, cork cells of *Musta* etc. The Pharmaceutical analysis showed that the loss on drying value 5.12%, pH Value 7.5, Alcohol soluble extract 8.4%, Ash value 5.9% etc. HPTLC study of *Patoladi Kwath* revealed 4 spots at 254 nm and at 366 nm each. **Conclusion-** The present work was carried out to standardize the finished product *Patoladi Kwath* in terms of its identity, quality and purity. Pharmacognostical and Physico-chemical observations revealed the specific characters of all active constituents used in the preparation.

Key Words: *Patoladi Kwath*, *Microscopic identification*, *Pharmaceutical analysis*, *Physico-chemical evaluation*

INTRODUCTION

Patoladi Kwath is herbal compound formulation mentioned in *Chakradatta Amlapitta Rogadhikara*. Here other indications of the formulation are also mentioned like *Mandagni*, *Jwara*, *Chhardi*, *Daha*, *Shoola*, *Ama* and diseases caused by the provocation of *Tridosha*. *Patoladi Kwath* has only 4 herbs in equal proportion – *Patola*, *Dhanyak*, *Sunthi* and *Musta*¹. All these ingredients are helpful in *Tridosha Shamana* due to its *Katu*, *Tikta* and *Kashaya Rasa*; *Laghu*,

Snigdha guna; *Madhura Vipaka*. All the drugs, i.e. *Patola*², *Sunthi*³, *Dhanyaka*⁴, *Musta*⁵ have proved anti-inflammatory, antispasmodic, activity mainly for GIT and related to other systemic disorders as these drugs are having essential properties to deliver its potency to deeper *Dhatu* like *Mamsa*, *Meda* and *Majja* also⁶.

In the present study, the formulation was subjected to pharmacognostical and pharmaceutical analysis. Preliminary organoleptic



features and results of microscopy were verified and all the ingredients were proved to be authentic.

MATERIALS AND METHODS

Collection, identification and authentication of raw drugs

Table 1 Ingredients of *Patoladi Kwath*

Sr. No.	Drugs	Botanical Name	Part to be used	Proportion
1	<i>Patola</i>	<i>Trichosanthes Dioca</i> Roxb.	Whole plant	1 Part
2	<i>Dhanyaka</i>	<i>Coriandrum sativum</i> Linn.	Fruit	1 Part
3	<i>Sunthi</i>	<i>Zingiber officinale</i> Roscoe	Tuber	1 Part
4	<i>Musta</i>	<i>Cyperus rotundus</i> Linn.	Tuber	1 Part

Preparation of drug:

The final product i.e. *Patoladi Kwath* was prepared in the pharmacy of the institute. All the raw drugs were taken in equal proportion and *Yavkuta* (coarse powder) was made.

Pharmacognostical study:

The Pharmacognostical study comprises of organoleptic study and microscopic identification of prepared drug⁷.

Organoleptic study:

The Organoleptic characters of Ayurvedic drugs are very essential and prove the genuinity of the drug. Organoleptic parameters like taste, color, odor and touch⁸ were scientifically studied in Pharmacognosy laboratory of the institute.

Microscopic study:

Patoladi Kwath was dissolved in water and microscopy of the sample was done without stain and after staining with Phloroglucinol + Hydrochloric Acid (HCl). Microscopic photographs of *Patoladi Kwath* were also taken under Carl-Zeiss trinocular microscope⁹.

Physico-chemical analysis:

The raw drugs for the preparation of *Patoladi Kwath* were procured from the concerned university's attached pharmacy. The ingredients & parts used in the preparation of the final product are listed below in Table-1.

Patoladi Kwath was analyzed using various standard physicochemical parameters such as Loss on drying, water-soluble extract, alcohol soluble extract etc¹⁰.

High Performance Thin Layer Chromatography (HPTLC):

HPTLC was performed as per the guideline provided by API. For recognizing in HPTLC, Methanolic extract of the sample was used. HPTLC was performed using Toluene + Ethyl acetate + Acetic acid (14:4:2) solvent system and observed under visible light. The color and retention factor (R_f) values of resolved spots were noted¹¹.

RESULTS AND DISCUSSION

Organoleptic characters of *Patoladi Kwath*:

Organoleptic characters of *Patoladi Kwath* such as color, odor, taste, etc. examined by sensory organs and results are as shown below in Table-2.

Microscopic characters of *Patoladi Kwath*:

Table 2 Organoleptic characters of *Patoladi Kwath*


Sr. No.	Characters	Results
1	Colour	Buff
2	Odour	Slightly aromatic



3	Taste	Astringent bitter
4	Touch	Coarse

Diagnostic characters of *Patoladi Kwath* were observed under the microscope and the presence

of all ingredients showed their different characters which are depicted in Figure-1, Plate 1-16.






Figure 1 Microscopic characters of Patoladi Kwath

Physico-chemical parameters of Patoladi Kwath:

Physico-chemical parameters of Patoladi Kwath such as ash value, water-soluble extract, alcohol soluble extract, pH etc. results are shown in Table-3.

HPTLC study:



Chromatogram shows 4 prominent spots at 254nm and at 366nm each with maximum R_f value 0.05, 0.13, 0.55, 0.89 and 0.05, 0.09, 0.13, 0.21 accordingly (Figure-2) and three dimensional densitogram is also shown. (Figure-3)

Table 3 Physicochemical parameters of Patoladi Kwath

Sr. No.	Test	Result
1.	Loss on Drying	5.12 %
2.	Ash Value	5.09 % w/w
3.	Water soluble extract	15 %
4.	Alcohol (Methanol) soluble extract	8.4 % w/w

5	pH (5% Aqueous extract)	7.5
6	Particle size	
	Above 60 mesh	80.56%
	60-85 mesh	4.01%
	85-120 mesh	3.29%
	Below 120 mesh	12.28%

%=percentage, % w/w=percentage weight by weight



Peak display at 254 nm

Peak display at 366 nm


Figure 2 Densitogram of Patoladi Kwath at 254 nm and 366 nm (*nm=nanometer)

CONCLUSION

To assess the safety, purity and universal acceptability of any formulation for the particular disease quality control analysis is really necessary.



Standardization is a measurement for ensuring the quality control enabling the reproducibility of the formulation. The pharmacognostical and physicochemical analysis of *Patoladi Kwath* confirmed the purity and validation of the drug. Further studies may be carried out on this formulation based on the observation made and the results of experimental studies. This study may be beneficial for future researchers and can be used as a reference standard in further quality control researchers.



254 nm

366 nm

Figure 3 Three-dimensional HPTLC (3D) Densitogram



REFERENCES

1. Tripathi Indradev. *Chakradatt* with *Vaidyaprabha Hindi* commentary, edited by Prof. Ramnath Dwivedy, (2018). Chaukhambha Sanskrit Bhawan-Varanasi, *Amlapiita chikitsa* 52/17, 296.
2. Deka et al. (2018). Analgesic, Anti-inflammatory and Antipyretic activity of *Trichosanthes Dioica* Roxb. Leaf extracts, *IJPSR*, 9(1), 227-235.
3. Mashhadi et al. (2013). Anti-Oxidative and Anti-Inflammatory Effects of Ginger in Health and Physical Activity: Review of Current Evidence, *Int J Prev Med.*, 4(1), 36-42.
4. Shreya Kothari, V.Vishnu Priya, R.Gayathri (March - April 2017). Anti-Inflammatory Activity of *Coriandrum sativum* using HRBC Membrane Stabilizing Method, *Int. J. Pharm. Sci. Rev. Res.*, 43(2), 68-70.
5. Manivannan Rajamanickam, Aeganathan Rajamanickam (2016). Analgesic and anti-inflammatory activity of the extracts from *Cyperus rotundus* Linn rhizomes, *J App Pharm Sci.*, 6(9), 197-203.
6. Acharya Jadavaji Trikamaji. *Charaka Samhita* with "Ayurveda Dipika" commentary, (2014). Choukhambha Sanskrit Sansthana-Varanasi, *Chikitsa sthana* 3/201, 417.
7. The Ayurvedic Pharmacopoeia of India (1999), Pat-I (1-4), Anonymous, Govt. of India, Dept. of ISM & H, under Ministry of Health & Family welfare, The controller of publications civil lines, Delhi, 155-56.
8. Trease and Evans (1996), *Pharmacognosy*, 15th Edition, W.B. Saunders Company Ltd, 569-570.
9. Wallis TE (2002), *Text book of Pharmacognosy*, 5th Edition, CBS Publishers & Distributors, New Delhi, 123-132, 210-215.
10. Ayurvedic Pharmacopoeia of India (2011), *Appendices-2.1*, Govt. of India, Ministry of health and family welfare, The controller of publications civil lines, Delhi, 190-195.
11. Stahl E, *Thin-layer chromatography a laboratory hand book* (1969), 2nd Edition, Springer-Verlag, New York, 125-133.